TΜ 3

LMErgoSense

LM feel the difference

STYLETTA

PRODUCT CATALOG

LM-DENTAL™ You can feel the difference

We are LM-Dental[™], a dental instrument manufacturer located in Parainen, a town in southwest Finland.

Ever since founded in 1973 - more than 50 years ago - we have focused on developing, manufacturing, and marketing high-tech dental hand instruments. We apply the same high standards also to all other LM[™] product groups: dental instrument tracking system, ultrasonic devices, and orthodontic appliances.

Our goal at LM[™] is to create genuine value for dental care professionals by making instruments that are safe, efficient, and pleasant to use. We aim to make a difference where it counts: by helping people in all aspects of dentistry.

At LM[™] we are truly dedicated to manufacturing excellence, allowing us to serve our customers with products that are precise, durable, and reliable. All our products are manufactured in Finland.

Continuous improvement in services and standards has always been our guiding principle, and by following that we've grown from a small garage workshop in the Finnish archipelago to a distinguished player in the global dental industry. Today we are the market leader in Nordic countries exporting 80% of our products globally.

WITH US YOU CAN FEEL THE DIFFERENCE.

Read more at www.lm-dental.com/About us/Who we are



PLANMECA

LM-Dental[™] is part of the Planmeca Group one of the world's leading manufacturers of dental equipment

LM-DENTAL[™] Feel the difference | LM[™] product key features | Instrument handles and tip coatings



2

DIAGNOSTICS Mirror handles | Explorers | Periodontal probes | Fur

22

PERIODONTICS

Sickle scalers | Dual Gracey instruments | Universal curettes | Gracey curettes | Sharpen-free LM Sharp Diamond[™] coated instruments | Diamond files | Hoe scalers | LM-ErgoMix[™] implant instruments

41 RESTORATION

Cavity preparation instruments | Instruments for contouring and sculpting | Non-stick LM Dark Diamond[™] coated instruments | LM-Arte[™] instruments for esthetic restorations | LM-MultiHolder[™] system



ENDODONTICS



58

EXTRACTION Elevators | Luxating instruments | Root tip instrument

ORTHODONTICS Orthodontic hand instruments

INSTRUMENT HANDLING & MAINTENANCE

LM-ServoMax[™] tray system | Coding products | LM-RondoPlus[™] sharpening machine

ORTHODONTIC APPLIANCES LM-Activator™ | LM-Activator™ 2 | LM-OrthoSizer™ | LM-Trainer





PIONEERING SINCE 1973 Instrument ergonomics

HOW TO DEFINE AN ERGONOMIC HAND INSTRUMENT?

Firstly a non-slip, natural grip on an instrument are essential. Secondly a lightweight and optimized design prevents effectively occupational diseases. Thirdly a good tactile sensitivity and easy handling of the instrument guarantee the best clinical results. Reliability, wear resistance and comfort are the features that will be evident for both, the dentist and the patient.

- These are the guiding principals how Pekka Kangasniemi, DDS, one of the founders of LM-Dental[™], defined instrument ergonomics already in the 1980s.

PIONEERING INNOVATIONS IN DENTAL INSTRUMENT ERGONOMICS

As ergonomics being one of the first key concepts for LM[™] product line, were the oversized handles the first step on that path and introduced already in 1974. In the end of 1980s ergonomics were further enhanced by the first silicone handles and the year 1995 marked the year for our first oversized silicone handle LM-ErgoMax[™]. The greatest outcome of intense research and cooperation with dental clinicians was the launch of LM-ErgoSense[®] instruments in 2015 with even more ergonomic grip and with possibility to integrate a trackable RFID tag into the handle making it the first "smart instrument" on the market.

What LM[™] brand is widely known and recognized is the innovation introduced already in 1980: the color-coded handles to ease the identification of the instrument. These radical product theses at the time - a thicker handle, optimized shape, elastic surface, lightness and color-coding - have become industry wide standards in the 21st century. We are the innovation leader that others copy.



50 YEARS OF MAKING THE DIFFERENCE







Special alloyed metal core

- lightweight structure
- metal-to-metal connection for enhanced tactile sensitivity

LM-DuraGradeMax[™] stainless steel tips

- high wear resistance
- immune to corrosion
- uncoated: can be resharpened

Optimal rigidity - excellent sensitivity and efficiency - outstanding corrosion resistance

Precision formed tips and high-quality finishing - extremely sharp and smooth cutting edge

Elastic, ergonomic silicone surface and optimal contouring - comfortable and non-slip grip

LM-ErgoSense[®] handle *) - oversized large diameter - available with integrated LM DTS[™] RFID tag - available with sharpen free or non-stick coated tips

Fresh color-coding - ease the identification

during clinical procedures and maintenance

MAKING DENTAL CARE SAFE, EFFICIENT AND PLEASANT.

We are truly dedicated to manufacturing excellence, allowing us to serve our customers with products that are precise, durable, and reliable. Continuous improvement in services and standards has always been our guiding principle. We apply the same high standards to our all product categories and are number-one-partner with the best-in-class dental products and smart solutions.

LM-ErgoSense® instrument handle ENHANCING COMFORT AND PERFORMANCE

When holding the instruments for approximately 2,000 hours each year, the design, weight and feel of the instrument are crucial for the dental practitioner in terms of his/her performance and productivity. An ergonomic, high quality hand instrument naturally feels good in the hand.

The LM-ErgoSense[®] instrument handle is outcome of intense research and product development in close cooperation with dental clinical experts. It is truly a unique combination of ergonomic, functional design and high-tech in form of integrated RFID technology.

OVERSIZED Ø 13.7 MM SILICONE HANDLE

A hand instrument with thick silicone handle has been found to be more usable, cause lower perceived strain and to be more productive than those with thinner handles (1).

RATED AS BEST HAND INSTRUMENT

LM-ErgoSense[®] was rated as the best in 10 out of 14 specified usability features compared with the other tested instruments in a dental scaling simulation (1).

"FEELS GREAT IN THE HAND"

In study focusing on ergonomics, usability characteristics and work productivity of different hand instruments the thick, silicone coated LM[™] instruments were the most preferred choice in regard to all 18 usability criteria used in the test (2).

UNIQUE INTELLIGENCE INSIDE

Integrated LM DTS[™] RFID tag offers unique opportunities to improve material handling and patient safety. Read more on page 60.

Reference studies: (1) Somunen E., Nevala N: Evaluation of ergonomics and usability of dental scaling instruments; Dental scaling simulation and Field study, part III. Finnish Institute of Occupational Health, LM-Instruments (Oy, (2) Nevala N, Somunen E, Remes J, Suomalainen K: Ergonomics ond productivity evaluation of scaling instruments in darbitistry. The Ergonomics Open Journal 2013; 6, 6-12.

LM SHARP DIAMOND™ Sharpen-free instruments

Sharpen free LM Sharp Diamond[™] coated instruments are ideal choice for clinicians who frequently use hand instruments and want to minimize the time spent on instrument maintenance. These instruments present optimal characteristics of superior sharpness, tactile sensitivity and comfort while combined with premium ergonomics of LM-ErgoSense[®] handle.

LM Sharp Diamond[™] instrument tip is made from exceptionally durable special metal alloy, and its wear resistance is enhanced by a protective micro membrane coating providing excellent sharpness and control. LM Sharp Diamond[™] instruments are well-suited for all forms of scaling and tips retain their original functionality, size and shape throughout their lifetime. The time saved from sharpening can be used for productive work and patient care.

What do the dental hygiene experts say? Scan the QR for the video.

See the periodontal product range on pages 22-40.




With LM Sharp Diamond[™], I'm not just doing my job - I'm perfecting it. I choose to work smart. I choose to work efficiently. I choose LM Sharp Diamond[™]."

Dr. Joy Void - Holmes RHD, BSDH, DHSc, CEO and founder of Dr. Joy

CHOOSE SHARP.

SHARPEN FREE MICRO COATING



DIAMOND-LIKE FEATURES

Sharpen free	$\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}$
Superior sharpness	$\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}$
Highest rated ergonomics	
Minimum maintenance	∇ ∇ ∇ ∇


HARDNESS



Hardness contributes to the durability of the instrument. LM Sharp Diamond[™] reaches hardness of over 63 on Rockwell scale.

WEAR RESISTANCE **

82% decrease in wear compared to typical dental hand instrument material.



About SHARPNESS of dental hygiene instruments

The typical lifespan of a dental instrument varies between 6 to 18 months, depending on usage frequency and handling techniques. For optimal performance, most hygienists recommend sharpening instruments at least every two weeks. Prolonged usage without regular sharpening can result in bluntness, reducing the effectiveness of your work and ultimately diminishing patient comfort and satisfaction.

A significant number of instruments are often used beyond the recommended time frame, leading to decreased performance due to dullness. While sharpening is vital for maintaining sharpness, excessive sharpening can alter the original cutting shape and angularity, potentially decreasing instrument durability and increasing the risk of breakage.

It is of utmost importance for hygienists to utilize sharp instruments. Sharp scalers not only reduce fatigue and ergonomic strain for hygienists but also contribute to enhanced patient comfort.

COMPARISON of sharpen free instruments and instruments to be sharpened




COST PERSPECTIVE


Switching from conventional to sharpen free instruments a small clinic allows to reduce costs significantly, even 10 000 €, in one year.

The purchase price of sharpen free instruments is ~25% higher compared to instruments that can be resharpened. However, the cost of sharpening services or doing it yourself, counting time, amounts

to easily $5-10 \in$ per sharpening. As a result, the price difference between sharpen free hand instruments and those that require sharpening becomes negligible already after approximately 3-4 sharpening sessions.

By choosing sharpen free hand instruments, the need for sharpening is eliminated. This not only saves valuable time but also reduces expenses, which can then be redirected towards more productive work.





SHARPNESS AND EFFECTIVENESS PERSPECTIVE

Sharpen free instruments can retain their sharpness for 82% longer compared to instruments that are resharpened, which tend to lose their sharpness more quickly.

Additionally, resharpening instruments display greater fluctuations in sharpness over time.

SHAPE AND SAFETY PERSPECTIVE

Sharpen free instruments maintain their original design, shape, and angulation consistently throughout their entire lifespan.

Excessive sharpening of instruments can alter the original cutting shape and angularity, which may lead to reduced instrument durability and increased risk of breakage.

LM DARK DIAMOND™ Non-stick coated instruments



LM Dark Diamond[™] instruments with non-stick coating are designed for easy placing and contouring of composite resins. The diamondlike coating reduces the stickiness and allows pleasant and precise restorative instrumentation.

Contemporary diamond-like carbon (DLC) coating reduces stickiness for smooth composite placement

- Hard surface protecting the tip from scratches
- Smooth surface for easy cleaning
- Dark coating color for minimal reflections, and maximal contrast against filling
- Ergonomic LM-ErgoSense[®] handle for excellent precision and feel

LM-Arte[™] Dark Diamond edition

PLEASANT AND PRECISE SCULPTING OF COMPOSITE

Non-stick coated LM-Arte[™] Dark Diamond instruments are the latest outcome of StyleItaliano[™] and LM-Dental[™] collaboration featuring exclusive coating for smooth and precise non-stick placement and sculpting of composite resins.

What do the StyleItaliano[™] experts say? Scan the QR for the video.

See LM-Arte[™] product range on pages 45-48.



The sensitivity, flexibility and precision are the same as with conventional LM-Arte[™] instruments, but the LM Dark Diamond[™] coating eliminates the issue of resin sticking to spatulas, even for the most delicate resins."

Dr. Paulo Monteiro Honorary Member of StyleItaliano

"



LM-Dental[™] and StyleItaliano[™] LM-Arte[™] restorative instruments

SIMPLIFYING ESTHETIC RESTORATIONS

LM-Arte^M is a range of innovative instruments for esthetic restorations that is designed especially for composite layering. Each instrument is color-coded and named after its main function, enabling you to administer easy, efficient and quick restorative treatments. The lightweight and ergonomic LM^{M} handle design, together with high-quality tip materials, provides excellent tactile sensitivity and easy handling or the best clinical results.

CO-OPERATION MAKING THE DIFFERENCE

LM-Arte[™] instrument series has been developed in collaboration with StyleItaliano[™], a group of skilled dentists who share our passion for improving dentistry.

The StyleItaliano[™] movement emerged from a simple idea of two friends - Dr. Walter Devoto and Dr. Angelo Putignano. The renowned experts in conservative and esthetic dentistry had noticed that although materials suitable for creating beautiful direct restorations were available, appropriate instruments for employing these successfully



were lacking. With LM-Dental[™]'s dedication to manufacturing excellence the unique concept of LM-Arte[™] instruments was developed, and it has been a breakthrough in esthetic dentistry.



BE PART OF THE SUCCESS!

Visit StyleItaliano[™] website at www.styleitaliano.org for restorative clinical cases with LM-Arte[™] instruments.



Follow and join the social media channels!







Choosing the handle

Choosing the most ergonomic hand instrument can make a big difference in terms of discomforts and disorders when performing dental work. It is by no means insignificant what is the diameter or material of the grip surfece of the hand instrument handle. LM[™] hand instruments are available with a selection of different handles all of them exceptionally ergonomic due to the elastic silicone coating and optimized contouring. The clinician's hand fit and indication both play a role in selecting an ideal handle type. Interchanging different handles, may place the user's hand under even less strain.

LM 207-208 ES CE **GRA 7-8**

COLORS, NAMING AND CODING

To facilitate color coding and brighten up working practices all the LM[™] instruments come in refreshing colors. The name and the code number on the handle ease the identification of the instrument during clinical procedures and maintenance.

Handle selection

LM-ErgoSense®

The larger diameter and design provide sensational grip that has been proven to be ergonomic and efficient in scientific clinical testing.

LM-ErgoSense[®] handle is available with integrated LM DTS[™] RFID tag. The compatibility with the LM Dental Tracking System[™] offers many opportunities to improve asset management and patient safety.

Codes, symbols and diameters



(Ø 13.7 mm)

ES = LM-ErgoSense® handle





EST = LM-ErgoSense[®] handle with integrated LM DTS[™] RFID tag

LM-ErgoMax[™]

Classic ergonomic design that others copy. Functions well in all clinical procedures and guarantees excellent tactile sensitivity and relaxed grip.

XSI = LM-ErgoMax[™] handle (Ø 11.5 mm)

Special handles





LM-ErgoNorm[™]

The thinner handle that functions best in light clinical procedures.

LM-ErgoMix[™]

The LM-ErgoMix[™] handle for exchangeable tips offers all the economical and ecological benefits of retipping. See page 39.

LM-ErgoSingle[™]

Well balanced mirror handle with better reachability. See page 15.

Choosing instruments with special coated tips

SHARPEN FREE PROPHY AND PERIO

Sharpen free LM Sharp Diamond[™] instrument tips are made from exceptionally durable special metal alloy, and their wear resistance is enhanced by a protective micro membrane coating made using the most advanced PVD (Physical Vapor Deposition) technology. Choose sharp and work efficiently.



SDES = LM-ErgoSense[®] (ES) handle with sharpen free LM Sharp Diamond[™] (SD) coating

NON-STICK RESTORATIVE INSTRUMENTS

LM Dark Diamond[™] instruments with non-stick coating allow easy placing and contouring of composite resins. Dark colored tips provide maximum contrast against the filling and reduce the reflections.





DDES = LM-ErgoSense[®] (ES) handle with non-stick LM Dark Diamond[™] (DD) coating

PATIENT SAFETY AND TRACEABILITY

Coated instruments, like all LM[™] hand instruments with LM-ErgoSense[®] handle, are available with integrated LM DTS[™] RFID tag for the compatibility with unique LM Dental Tracking System[™].



SDEST / DDEST = LM-ErgoSense[®] (ES) handle with sharpen free (SD) or non-stick (DD) coating and integrated LM DTS[™] RFID tag (T)

LMErgoNorm[™]

SI = LM-ErgoNorm[™] handle (Ø 8.5 mm)

ErgoMix™

EM = LM-ErgoMix[™] handle (Ø 12.5 mm)

LMErgoSing™

ESI = LM-ErgoSingle[™] handle (Ø 11.5 mm)

Making dental care safe, efficient and pleasant.

200

MIRROR HANDLES

Simple stem


LM 25 mirror handle threads are in accordance with international standard M2.5. The mirror shank must have a diameter of 2.5 mm.

Cone socket

LM 28 mirror handle threads are in accordance with international standard UNF4-48. The mirror shank must have a diameter of 2.6 mm.









• Well balanced, better reachability

Color options: red, grey and blue



Mirror Handle 25

- Simple stem design, single-ended
- Color options: red, grey and blue






- Cone socket design, UNF4-48 threads, single-ended
- Color options: red, grey and blue


Mirror Handle 28


16



Mirror Handle, ortho


- Orthodontic mirror handle with Bausch-Verbiest design
- For measuring the sagittal overjet and vertical overbite
- Millimeter scale, total length 25 mm





Mirror Handle JM

• For implant installation



EXPLORERS

For diagnosing calculus and caries and exploring of pockets, restorations and furcations.









Explorer 5-8

• Standard explorer for diagnostic and operative procedures








LMErgoNorm™

17C-23SI



Explorer 3-6

• Standard explorer for diagnostic and operative procedures






Explorer 11-12

- Angles similar to Gracey 11/12 (211-212)
- For probing proximal and cervical caries
- · For subgingival root examination

LM ErgoSense®	11-12ES
((*	11-12EST
LM ErgoMax [™]	11-12XSI
LM ErgoNorm™	11-12SI





See the guidance for handle option symbols and codes from chapter "Choosing the handle" on pages 12-13.




IAGNOSTICS


PERIODONTAL PROBES






DIAGNOSTICS







 \bigcap

SICKLE SCALERS



Design:

Triangular cross section

For the removal of supragingival calculus.

Instrumentation:


For calculus removal place the tip third of the scaler's cutting edge against the tooth. Tilt the instrument toward the tooth to achieve 70° to 80° angle between the tooth and the blade. Apply lateral pressure and activate the scaler by using vertical, diagonal or horizontal pull strokes. To maintain control use short 2–3 mm long strokes.



Face perpendicular to the lower shank

Two cutting edges (red line), pointed tip









(315-316SDEST



Sickle LM23 Slim SD

- Universal scaler for anterior and posterior areas
- Thin version of popular LM23 scaler (313-314)
- Better access to interproximal areas
- With sharpen free LM Sharp Diamond[™] coated tips







- Anterior/posterior scaler
- Delicate working end, elongated shank
- Ideal for tight interproximal surfaces





Micro Sickle SD

With sharpen free LM Sharp Diamond[™] coated tips





Delicate working end. Especially for tight interdental spaces.

回說回

同新建立

How to use



Mini Sickle

- Universal scaler
 For all tooth surfaces
- Fine, slightly angled blade

LM ErgoSense®	311-312ES
((*	311-312EST
LM ErgoMax™	311-312XSI
LM ErgoNorm™	311-312SI



Mini Sickle SD

 With sharpen free LM Sharp Diamond[™] coated tips






For all tooth surfaces, especially proximal surfaces.

 $\mathbf{\mathbb{D}}$

How to use



Sickle LM23


- Posterior scaler
- Shorter blade and longer lower shank than in the Mini Sickle (311-312)

LM ErgoSense®	313-314ES
((1	313-314EST
LM ErgoMax™	313-314XSI
LMErgoNorm™	313-314SI




Sickle LM23 SD


 With sharpen free LM Sharp Diamond[™] coated tips






See the guidance for handle option symbols and codes from chapter "Choosing the handle" on pages 12-13.





Sickle LM204S

• Sharply angulated shank and very fine working end








Sickle LM204S SD

 With sharpen free LM Sharp Diamond[™] coated tips





Scaler H6-H7

· For all tooth surfaces

• Longer shank and smaller lateral bending than in LM-SharpJack™ (315-316)

LM ErgoSense®	146-147ES
((1	146-147EST
LM ErgoMax™	146-147XSI
LM ErgoNorm™	146-147SI




Scaler H6-H7 SD

 With sharpen free LM Sharp Diamond[™] coated tips



146-147SDEST



• Similar to H6-H7 (146-147) but with a lateral bending • Easy access to molar area and proximal surfaces





- Extremely strong, rigid, sharply angled blade
- For removal of heavy supragingival calculus

322-323ES
322-323EST
322-323XSI
322-323SI



Mini Kaplan

• Same angle but with a more delicate blade than in the Crane-Kaplan (322-323)

LM ErgoSense®	333-334ES
((1	333-334EST
LM ErgoMax™	333-334XSI
LMErgoNorm™	333-334SI





LM Dual Gracey[™] combines the benefits of a universal curette and a Gracey curette in one. These instruments are designed for the removal of supra and subgingival calculus from all tooth surfaces.

LM[™] INNOVATION

Each LM Dual Gracey[™] tip has two elliptical cutting edges – a mesial and a distal edge. This design allows for treatment both mesial and distal tooth surfaces. LM Dual Graceys[™] are suitable for vertical, horizontal and oblique scaling techniques.





Syntette™

 A combination of universal curette and Gracey 11/12 and Gracey 13/14 curettes

- For removal of supra and subgingival calculus in premolar and molar areas
- For all tooth surfaces

LM ErgoSense®	215-216ES
((*	215-216EST
LM ErgoMax™	215-216XSI
LM ErgoNorm™	215-216SI



Mini Syntette™

- Excellent in tight, deep pockets
- Particularly well adapted for use on premolars' and incisors' palatinal and lingual surfaces

LM ErgoSense®	215-216MES
((e	215-216MEST
LM ErgoMax [™]	215-216MXSI
LM ErgoNorm™	215-216MSI




Syntette[™] Anterior SD

- A combination of universal curette and Gracey 1/2 and Gracey 7/8 curettes
- For removal of supra and subgingival calculus in premolar and anterior areas
- For all tooth surfaces
- With sharpen free LM Sharp Diamond[™] coated tips



Mini Syntette[™] Anterior SD

- Excellent in narrow, deep pockets
- With sharpen free LM Sharp Diamond[™] coated tips



Design:

- Two elliptical cutting edges
- Rounded tip



With sharpen free LM Sharp Diamond[™] coated tips








UNIVERSAL CURETTES


McCALL



LANGER



Langer curettes combine universal curette's working end with Gracey curette's shank angulation. Angulations ease access to difficult areas and both mesial and distal surfaces can be treated with the same instrument end.





Mini Langers have longer shanks and shorter working ends than standard Langers. Useful in tight interdental spaces. Better access into tight deep pockets



Mini Langer 1/2

LMErgoSense®

LMErgoNorm™

• For premolars and molars in the lower jaw

281-282MES

281-282MES

281-282MXSI


281-282MSI

Mini Langer 3/4

• For premolars and molars in the upper jaw

LM ErgoSense®	283-284MES
((1	283-284MES
LMErgoMax™	283-284MXS
LMErgoNorm™	283-284MSI






Mini Langer 5/6

• For incisors in the upper and lower jaw







DIAMOND FILES




LMFraoSens


LMErgoNorm™

Diamond coated files are designed for cleaning deep concave root surfaces in anatomically difficult areas.

Can be used with multidirectional strokes.



FURCATION INSTRUMENT





For the removal of supraand subgingival calculus. Suitable for deep, narrow pockets and concave root surfaces. For both vertical and horizontal techniques.



Design:


Fine hoe-shaped blade with rounded corners

Elliptical cutting edge



Hoe Scaler, anterior

- For the anterior labial and lingual surfaces
- Works well also with lower incisors that are orally inclined










Hoe Scaler, posterior

For the mesial and distal surfaces of molarsCan also be used for furcations







LM-ErgoHold[™] 3

- Excellent grip with elastic silicone coating
- Precise blade control
- Controlled rotation
- Blade position responsiveness maintained
- Controlled movement through tissue
- Fits all blades with fitment No. 3 (blades 10, 10A, 11, 11K, 11P, 12, 12D, 15, 15C and 15S)

LMErgoHold™ 9003

See the guidance for handle option symbols and codes from chapter "Choosing the handle" on pages 12-13.

I CHOOSE TO WORK SMART.

I love LM Sharp Diamond[™] instruments. As a regular user, their superior sharpness, tactile sensitivity, and comfort have truly made a difference in my practice.

With the ergonomic LM-ErgoSense® handle, these instruments feel like natural extensions of my hands, perfectly designed for all forms of scaling. What's truly impressive is their durability. These instruments maintain their original functionality, size, and shape throughout their lifetime, freeing me from frequent maintenance. This saved time is better spent promoting health and crafting beautiful smiles.

The standout feature? Their sharpen free design. Crafted from a durable special metal alloy and enhanced with a protective micro membrane coating, these tools are built to last, enabling me to work efficiently effortlessly. My personal favorite is the LM Dual



ersonal favorite is the LM Dual Gracey[™]. It's more than just an instrument; it's my partner in delivering exceptional oral health care.

With LM Sharp Diamond[™], I'm not just doing my job - I'm perfecting it. I choose to work smart. I choose to work efficiently. I choose LM Sharp Diamond[™].

Dr. Joy Void - Holmes

RDH, BSDH, DHSc CEO and Founder of Dr. Joy

GRACEY CURETTES




Area specific curettes for the removal of deep subgingival calculus. For the finishing of subgingival root surfaces.



Instrumentation:

Place the tip third or half of the cutting edge of a Gracey curette against the tooth surface. The larger outer curve is always the cutting edge. Make sure that the lower shank is parallel with the tooth surface. For calculus removal apply moderate and for root planing light lateral pressure and activate the curette by using vertical, diagonal or horizontal pull strokes.






with Gracey curettes

- Macro Gracey 13/14 Mini Sickle

RDH Tatiana Brandt



STANDARD AND MINI GRACEY



Mini Gracey has longer lower shank and smaller working end than in the standard model. Functions well in deep narrow pockets.



201-202ES

201-202EST

201-202XSI

201-202SI

• With sharpen free LM Sharp Diamond[™] coated tips

201-202SDES

201-202SDEST

Gracey 1/2

LMErgoSense®


LMErgoNorm™

LMEraoS

• For incisors and premolars











• With sharpen free LM Sharp Diamond[™] coated tips














Gracey P3-P4 · Short shank makes the instrument more rigid

LM ErgoSense®	266-267ES
()	266-267EST
LM ErgoMax™	266-267XSI
LM ErgoNorm™	266-267SI





Gracey 11/12

• For premolars' and molars' mesial surfaces





Gracey 11/12 SD

 With sharpen free LM Sharp Diamond[™] coated tips





Mini Gracey 11/12

Mini Gracey 11/12 SD


coated tips

With sharpen free LM Sharp Diamond[™]

211-212MSDES

211-212MSDEST

• For premolars' and molars' mesial surfaces





Gracey 13/14

• For premolars' and molars' distal surfaces






Gracey 13/14 SD

 With sharpen free LM Sharp Diamond[™] coated tips









Mini Gracey 13/14 SD

 With sharpen free LM Sharp Diamond[™] coated tips





Gracey 15/16


- For molars' mesial surfaces
- Blade shank more sharply angulated than in Gracey 11/12 for better access

LM ErgoSense®	245-246ES	
((*	245-246EST	
LM ErgoMax™	245-246XSI	C
LM ErgoNorm™	245-246SI	



Mini Gracey 15/16

 Blade shank more sharply angulated than in Mini Gracey 11/12 for better access




Mini Gracey 15/16 SD

coated tips

With sharpen free LMSharp Diamond[™]

245-246MSDES

245-246MSDEST





247-248SDES

247-248SDEST

coated tips



 Blade shank more sharply angulated than in Mini Gracey 13/14 for better access







• With sharpen free LM Sharp Diamond[™] coated tips





Gracey 15/16 SD

 With sharpen free LM Sharp Diamond[™] coated tips



How to use



Standard model's long working end combined with mini model's longer lower shank. Excellent reach interdentally in deep pockets.


Macro Gracey 5/6

- For incisors and premolars
- Especially useful in proximal surfaces




Macro Gracey 7/8

- For premolars and molars
- For buccal, mesial and lingual surfaces



Macro Gracey 11/12

• For premolars' and molars' mesial surfaces



Macro Gracey 13/14

• For premolars' and molars' distal surfaces






Blade shank thicker and more rigid, and working end slightly wider than in the standard model. Permits the use of greater pressure.

Rigid Gracey 1/2

• For incisors and premolars



Rigid Gracey 7/8




Rigid Gracey 11/12

• For premolars' and molars' mesial surfaces




Rigid Gracey 13/14

• For premolars' and molars' distal surfaces




Rigid Gracey 15/16





The types of Gracey curettes:



MESIAL-DISTAL GRACEY

Combining a mesial and a distal working end in one instrument. Useful when treating one quadrant at a time.

All mesial-distal Gracevs have code rings that make it easy to identify which working end is mesial and which distal. Distal Mesial



Gracey 11/14

LMErgoMax[™]

Gracey 12/13

((c

Gracey 15/18

LMErgoMax™

LMErgoNorm[™]

Gracey 16/17

LMEraoSense®

LMErgoNorm[™]

LMErgoSense® 211-214ES

LMErgoNorm[™] 211-214SI

LMErgoSense® 212-213ES

LMErgoNorm™ 212-213SI

LMErgoSense® 245-248ES

211-214EST

211-214XSI

212-213EST 212-213XSI

245-248EST

245-248XSI

246-247ES

246-247EST

246-247XSI

246-247SI

245-248SI

MINI MESIAL-DISTAL GRACEY

Mini models have longer lower shank and smaller working end than the standard model. Functions well in deep narrow pockets.



LMErgoSense® 211-214MES (r 211-214MEST LMErgoMax™ 211-214MXSI LMErgoNorm™ 211-214MSI

Mini Gracey 12/13

LM ErgoSense®	212-213MES
((1	212-213MEST
LM ErgoMax [™]	212-213MXSI
LM ErgoNorm™	212-213MSI

Mini Gracey 15/18



Mini Gracey 16/17



MACRO MESIAL-DISTAL GRACEY


Macro models have standard model's long working end combined with mini model's longer lower shank. Excellent reach interdentally in deep pockets.

Macro Gracey 11/14

LM ErgoSense®	211-214AFES
((1	211-214AFEST
LM ErgoMax™	211-214AFXSI
LMErgoNorm™	211-214AFSI

Macro Gracey 12/13

LM ErgoSense®	212-213AFES
((1	212-213AFEST
LM ErgoMax™	212-213AFXSI
LMErgoNorm™	212-213AFSI



38 See the guidance for handle option symbols and codes from chapter "Choosing the handle" on pages 12-13.

EXCHANGEABLE TITANIUM TIPS FOR IMPLANTS




LMErgoMix[™]

A great instrument series for implant maintenance. The LM-ErgoMix[™] structure ensures excellent tactile sensitivity and optimal rigidity.

LM-ErgoMix[™] hand instrument series offers the dental team a specially economical, ecological and ergonomic alternative. Whenever there is a need for a tip replacement the lock grip is opened, a new tip is inserted and the lock grip is closed again. No extra tools are needed.

Use LM-ErgoMix[™] instruments in the normal way, clean and sterilize it like any other instrument. The sealed construction guarantees high level hygiene.



- Always sharp instruments
- Minimizes waste
- Enables personalized tip combinations.







Implant Mini Universal curette

- Delicate working end
- · Especially for tight interdental spaces

LMErgoMix[™] 283-284MTIEM



LM-ErgoMix[™] spare parts

Spare handle	
LM-ErgoMix™ handle dark grey	9011EM
Spare lock grips	
Orange	9020EM
Light blue	9021EM
Grey	9022EM
Yellow	9023EM
Dark grey	9024EM
Red	9025EM
Spare titanium tips	
Spare titanium tips Implant Mini Universal Curette L	283MTIEM
	283MTIEM 284MTIEM
Implant Mini Universal Curette L	
Implant Mini Universal Curette L Implant Mini Universal Curette R	284MTIEM
Implant Mini Universal Curette L Implant Mini Universal Curette R Implant Mini Gracey 1	284MTIEM 201MTIEM
Implant Mini Universal Curette L Implant Mini Universal Curette R Implant Mini Gracey 1 Implant Mini Gracey 2	284MTIEM 201MTIEM 202MTIEM
Implant Mini Universal Curette L Implant Mini Universal Curette R Implant Mini Gracey 1 Implant Mini Gracey 2 Implant Mini Gracey 11	284MTIEM 201MTIEM 202MTIEM 211MTIEM

PERIODONTAL INSTRUMENT SETS









LM-PerioSet 1

LMErgoSense®	6652ES
LM ErgoMax [™]	6652XSI

Includes:

- Mini Sickle
- Curette McCall 17-18
- Gracey 1/2 - Gracey 11/12
- Gracey 13/14
- LM-Servo™ 5 cassette

LM-PerioSet 2



- Gracev 1/2
- Gracey 9/10
- Gracey 11/12
- Gracey 13/14
- Mini Gracey 15/16
- Mini Gracey 17/18
- LM-Servo™ 8 cassette

LM-PerioKit

LMErgoSense® 6842ES

Includes:

- Implant Mini Universal curette
- Concavity File SV 5-6
- Mini Gracey 13-14
- Mini Gracey 11-12
- Mini Gracey 7-8
- McCall 17S-18S
- North Carolina Probe
- Furcation Probe
- LM-Servo™ 8 cassette

"

The LM-PerioKit by StyleItaliano[™] contains the essentials for the best possible therapy.

Instruments have been selected in the spirit of StyleItaliano[™] whose philosophy is to make treatment feasible, teachable, repeatable. Periodontal therapy too can follow this approach. It's my feeling that, in the best interest of his patients, every practitioner should be able to properly execute non surgical therapy, crown lengthening procedures, free gingival grafts, simpler surgical root coverages."

Dr. Giano Ricci MD, DDS, MScD



SPOON EXCAVATORS




For the removal of softened carious dentin and temporary fillings.



Design:

- Spoon-shaped working end
- Rounded tip
- Long cutting edge, which can easily treat broader areas





LMErgoNorm™ 533-534SI

ROUND EXCAVATORS



Cariology:

For the removal of softened, carious dentin

For the removal of temporary fillings

Surgery:


To sever the periodontal ligament prior to extraction For the removal of

granulation tissue after extraction



Curved cutting edge

Round Excavator, 1.0 mm









Round Excavator, 2.0 mm

LM ErgoSense®	65-66ES
((1	65-66EST
LMErgoMax™	65-66XSI
LM ErgoNorm [™]	65-66SI

TRIPLE-ANGLED BACK ACTION EXCAVATORS



Cariology:

- For removing carious dentin
- For undermining enamel during tissue-saving preparations
- For the horizontal finishing of outer cavity margins

Periodontics:

- For the removal of calculus from hard to reach areas such as the lower anterior lingual surfaces
- For the depuration of concave root grooves and furcations

Surgery:

For the removal of granulation tissue in connection with apical resections, flap operations, or extractions



Design:

- Round working end and curved cutting edge
- Shank angulations ease treatments on hard to reach buccal, distal, and lingual surfaces



Triple-angled Back Action

611-621EST

Excavator, 1.0 mm

LMErgoSense® 611-621ES


LMErgoMax[™] 611-621XSI

LMErgoNorm[™] 611-621SI

The blade shank is triple-angled, allowing for "back action" functions










Triple-angled Back Action Excavator, 2.0 mm





Triple-angled Back Action Excavator, 3.5 mm

• For the horizontal finishing of outer cavity margins

LM ErgoSense®	671-681ES
((1	671-681EST
LM ErgoMax [™]	671-681XSI
LMErgoNorm™	671-681SI

GINGIVAL MARGIN TRIMMERS



For finishing enamel margins in the proximal area as well as for making plastic, amalgam and ceramic fillings.




Gingival Margin Trimmer, 1.2 mm, distal

LM ErgoSense®	121-122ES
((1	121-122EST
LM ErgoMax™	121-122XSI
LM ErgoNorm™	121-122SI



Gingival Margin Trimmer, 1.2 mm, mesial

LM ErgoSense®	125-126ES
()	125-126EST
LM ErgoMax™	125-126XSI
LM ErgoNorm™	125-126SI



PLUGGERS

For packing all types of filling m





materials.	For burnishing, modelling and finishing of	fillings.	
		р Составляется и составляется и составляется и составляется и составляется и составляется и составляется и состав Составляется и составляется и составляется и составляется и составляется и составляется и составляется и составл	
Plugger, cylindrical, 1.2-2.0 mm LMErgoSense® 350-380ES (€ 350-380EST LMErgoNax™ 350-380SI LMErgoNorm™ 350-380SI	Burnisher • or burnishing fillings at cavity margins • or packing and shaping of composite fillings • or packing of inlay-/onlay fillings • or packing	Burnisher – Plugger, ball-ended, 1.5-2.5 mm • For plugging filling into cavity • For plugging and shaping of composite fillings • For plugging and shaping of composite fillings • A71-473ES • A71-473EST • A71-473XSI • MErgoMax [™] A71-473SI	Burnisher 27–29 • For shaping of occlusal surfaces • For burnishing of fillings at cavity margins ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
Plugger, cylindrical, 1.8-2.5 mm LMErgoSense® 370-390ES (370-390EST LMErgoMax™ 370-390XSI LMErgoNorm™ 370-390SI	Burnisher DD • With LM Dark Diamond [™] non-stick coated tips LMErgoSense@ 31-32DDES () 31-32DDEST	Burnisher – Plugger DD, ball-ended, 1.5-2.5 mm • With LM Dark Diamond [™] non-stick coated tips LMErgoSense® 471-473DDES (C 471-473DDES	 Burnisher 21 For shaping and packing of composite fillings For shaping occlusal surfaces before hardening Pits, grooves, lateral ridges LMErgoSense® 476-477ES (€ 476-477EST LMErgoMax[™] 476-477XSI LMErgoNorm[™] 476-477SI

BURNISHERS

LM-ARTE[™] FOR ESTHETIC RESTORATIONS

LM-Arte[™] is a set of innovative instruments for esthetic restorations and it is designed especially for composite layering.



CO-OPERATION WITH STYLEITALIANO[™] LM-Arte[™] instruments have been developed in collaboration with StyleItaliano[™], a group of passionate clinicians and researchers specialized in esthetic restorative dentistry. The unique concept of LM-Arte[™] instruments has been a breakthrough in esthetic dentistry.

Read more on pages 10-11.



REPLICATE EASILY

I can make modeling within seconds with simple steps by using LM-Arte[™] Replica Posterior instrument and technique.

Dr. Osama Shaalan Gold Member of StyleItaliano™ NEW! How to use

LM-Arte[™] Replica Posterior

- For easy occlusal modeling of posterior teeth in direct composite restorations
- Occlusal anatomy of single tooth is guided by buccal cusps using replica technique: adapt, shape, replicate
 Concave and convex tip profiles
- LMErgoSense® 448-449ES



LM-Arte[™] Solo instruments are ideal for simplifying your daily cases: with just two instruments, you can perform most of your high-end anterior and posterior restorations.





LM-Arte[™] Solo Anterior


- For high-end esthetic anterior restorations
- Rounded and straight spatulas are designed for modeling anterior teeth, especially labial surfaces


LM ErgoSense®	431-433ES
((1	431-433EST
LM ErgoMax™	431-433XSI


LM-Arte[™] Solo Posterior

- For high-end posterior composite restorations
- The plugger end is designed for bulk filling and composite material modeling
- The sharp end enables contouring of the occlusal surface anatomy

LMErgoSense®	434-438ES
((*	434-438EST
LM ErgoMax™	434-438XSI













LM-Gengiva[™] gingival retracting kit

- LM-Gengiva[™] / LM-MultiHolder[™] PK III hand instrument
- LM-Gingival Retractors (blue) for establishing optimum working conditions for procedures at the gum line. Assortment package of three sizes include circa 90

S for incisors, M for premolars and XL for molars

disposable gingival retractors



LM-ARTE[™] INSTRUMENT SETS









LM-Arte [™] Posterior Se	t LM-Arte™ Complete Set	NEW! LM-Arte™ Dark Diamond set
LMErgoSense® 6844ES	LMErgoSense® 6848ES	LMErgoSense® 6845ES
LMErgoMax [™] 6844XSI	LMErgoMax [™] 6848XSI	
Includes:	Includes:	 Instruments with LM Dark Diamond[™] non-stick coated tips
 LM-Arte™ Posterior Misu LM-Arte™ Cusp Misura LM-Arte™ Fissura LM-Arte™ Modella LM-Arte™ Condensa LM-Servo™ 5 cassette 	ra LM-Arte™ Eccesso LM-Arte™ Misura LM-Arte™ Applica LM-Arte™ Posterior Misura LM-Arte™ Cusp Misura LM-Arte™ Fissura	Includes: • LM-Arte™ Eccesso DD • LM-Arte™ Modella DD • LM-Arte™ Fissura DD • LM-Arte™ Applica DD

The non-stick LM Dark Diamond[™] coated LM-Arte[™] instruments feature exclusive coating sculpting of composite resins.

Watch the video!





LM-Arte[™] Set



Includes:

- LM-Arte™ Eccesso
- LM-Arte™ Misura
- LM-Arte[™] Fissura
- LM-Arte[™] Applica
- LM-Arte™ Condensa
- LM-Servo[™] 5 cassette

- LM-Arte[™] Fissura LM-Arte[™] Modella
 - LM-Arte[™] Condensa
 - LM-Servo™ 8 cassette


- LIVI-Arte M Applica DD
- LM-Arte™ Condensa DD
- LM-Servo™ 5 cassette

FOR COMPOSITES MD (E



Modeller MH

- For packing large, approximal fillings in several layers
- Cylinder shaped working ends won't get stuck into the composite while light curing
- For pressing the matrix band in place while curing





Modeller MH DD

With LM Dark Diamond[™] non-stick coated tips

 LMErgoSense®
 708-709DDES


 (*
 708-709DDEST





Modeller MH Mini

- For packing small or medium approximal
- fillings in several layers
- Cylinder shaped working ends won't get stuck into the composite while light curing
- For pressing the matrix band in place while curing




Modeller MH Mini DD

LMErgoSense® 707-708DDES

• With LM Dark Diamond[™] non-stick coated tips

707-708DDEST



Flow Instrument IO

• For easy handling and shaping of flowable composites

LM ErgoSense®	484-485ES
((1	484-485EST
LM ErgoMax™	484-485XSI



Composite Spatula 6


• For placing and contouring composite

LM ErgoSense®	446-447ES
((*	446-447EST
LM ErgoMax [™]	446-447XSI
LMErgoNorm™	446-447SI




Form Condenser, 1.5-2.5 mm • For shaping and packing of large filling surfaces

LMErgoSense®	702-703ES
((702-703EST
LM ErgoMax™	702-703XSI
LM ErgoNorm™	702-703SI







Plastic Instrument, posterior

LMErgoSense® 48-702ES

LMErgoNorm™

• For placing, packing and contouring composite

48-702EST

48-702XSI

48-702SI

Plastic instrument, posterior DD

LMErgoSense® 48-702DDES

• With LM Dark Diamond[™] non-stick coated tips

48-702DDEST



For shaping of filling material to fit the anatomy of tooth, and for removal of soft excess.



Mini Spatula

• For placing and contouring composite












1/2 Hollenback • For proximal and cervical surfaces

LMErgoSense® 741-751ES 741-751EST LMErgoMax™ 741-751XSI LMErgoNorm™ 741-751SI



Carver Maehlum

• For removal of soft excess from gingival margins (71) • For anatomical shaping of occlusal surfaces (73)





Carver Nyström III

LMErgoSense® 76-77ES

LMErgoMax[™]

LMErgoNorm™

• For interdental spaces, contact surfaces

76-77EST

76-77XSI

76-77SI



• For anatomical shaping of occlusal surfaces of small fillings

LMErgoSense®	731-732ES
((*	731-732EST
LM ErgoMax™	731-732XSI
LM ErgoNorm™	731-732SI



FILLING REMOVER MD CE

LMErgoSense® 764-766ES

lle

LMErgoMax™

LMErgoNorm™

764-766EST

764-766XSI

764-766SI

CROWN OFF





A groove is first burred from the lower edge of the crown up to the occlusal surface. The groove should be so deep that it reaches the cement. The Crown Off working end is placed longitudinally into the groove and turned as if spreading the groove. The blade is turned until the crown loosens and lifts up. The blade stays firmly in the groove and it is easy to control even when lot of force is used.

Ergo

N

Crown Off

 Blade double angled with a 45° twist Crown removal instrument

LM ErgoSense®	767-768ES
((*	767-768EST
LM ErgoMax™	767-768XSI

INSTRUMENT SET MD CE



LM-CompoSet



Includes:


- Mini Spatula
- Plastic instrument, anterior
- Form Condenser
- Packer-Modeller IO
- Mini Excess Scaler
- LM-Servo™ 5 cassette

LM-MULTIHOLDER[™] SYSTEM MC



LM-MultiHolder[™] instruments and different kinds of replaceable plastic working ends – a real multi-function instrument!

Angle options allow for easy access to even the more complex areas. Optimal combination of steel and plastic: the steel shank is rigid and only the working end will flex, when required.









LM-Contact Formers

Transparent tip for making correctly formed and tight approximal contact.

- Suitable for use with all matrices
- Suitable for use with all matrices
 Will not stick to composite fillings
- Disposable

Four sizes corresponding to the size of the cavity, circa 60 pcs/package: 7622 XS 7624 S

7626	Μ
7628	L

7620 Assortment package circa

120 pcs (30 pcs/size)

LM-MultiHolder™ IntroKit

Introkit contains LM-MultiHolder[™] instruments PK I and PK II, LM-MultiLever[™] and working end sample package. (Incl 44 working ends; 4 for each size of each working end type)

7555KES 7555KXSI Separate working end sample package 7555

LM-Gingival Retractors (blue) For establishing optimum working conditions for procedures at the gum line.

Disposable

Three sizes, circa 60 pcs/package:

- 7502 S for incisors
- 7504 M for premolars 7506 XL for molars
- 7506 XL for molars7500 Assortment package circa

90 pcs (30 pcs/size)

LM-Cervical Matrices For making anatomically correct

fillings at the gum line.

- Protects from moisture
- Prevents air bubbles
- Disposable

Four models for different size and shape, circa 60 pcs/package:

- 7602 for incisors
- 7604 for canines and premolars
- 7606 for small molars
- 7608 for large molars
- 7600 Assortment package circa 120 pcs (30 pcs/size)



· For the removal of plastic working end

ROOT CANAL EXPLORER

The instrument's long, sharp tips facilitate the location and opening of root canals to provide access for proper preparation instruments.

Important! Only use the instruments for the purpose which they are intended!



Root Canal Explorer

 LMErgoSense®
 27-28ES

 (r
 27-28EST

 LMErgoMax™
 27-28XSI

 LMErgoNorm™
 27-28SI

ROOT CANAL EXCAVATORS


Root canal excavators have longer lower shanks and sharper blade angles than round excavators.

- Extended and correctly angled shanks as well as highly effective blade angles allow for the preparation of all types of pulp cavities
- Effective for the cleaning of pulp chambers and location of root canals as well as the removal of temporary fillings

Handle options:

LMErgoSense®

LMErgoNorm[™]




Root Canal Excavator, 1.0 mm





Root Canal Excavator, 1.5 mm





ENDO SPREADERS MD CE

For the compacting of root canal filling materials during lateral condensation.



Endo Spreader 0.4 mm



Endo Spreader 0.23 mm

LM ErgoSense®	22ES
((*	22EST
LM ErgoMax™	22XSI

ENDO PLUGGER

For the vertical plugging of root canal fillings.



Endo Plugger, 0.5–1.0 mm

LM ErgoSense®	41-42ES
((1	41-42EST
LM ErgoMax™	41-42XSI
LMErgoNorm™	41-42SI

Extract with confidence & luxate atraumatically

Familiar LM[™] ergonomics and tactile sensitivity also in extracting instruments.

- Ergonomic design
 comfortable to hold and easy to rotate
- Secure LM-ErgoTouch[™] surface - light, non-slip grip
- Well-balanced
 controlled grip
- Lightweight
 less strain on the hands
- Clear color-coding
 easy identification
- LM-DuraGradeMAX[™] supersteel
 strong and sharp blades
- Tight seam at blade juncture
 hygienic


LM-LIFTOUT[™]

Luxating instruments for atraumatic extraction.

LM-LiftOut[™] instruments allow tooth extraction to be done as atraumatically as possible. This is important in order to enable rapid healing and future implant placement. The thin tip of the instrument is introduced into the periodontal space and slowly advanced toward the apex of the root while twisting the instrument gently back and forth. LM-LiftOut[™] is not suitable for use as an elevator.







LM-TWISTOUT[™]



Elevators for forceful extraction.

LM-TwistOut[™] instruments are suitable for tooth extraction in situations where strong force or torque must be applied.








MD CE LMRoot LM-RootOut™ • Designed for delicate root Root Tip Pick teasing procedures • Not recommended for more • For the removal of root tip substantial root tip removal Suits well in all difficult to reach • Similar to Heidbrink root tip picks areas • Ergonomically designed handle for a good grip 769-771ES **LM**ErgoSense[®] 769-771EST 812210 **LM**ErgoMax[™] 769-771XSI (812210T

ROOT TIP INSTRUMENTS

ORTHODONTIC HAND INSTRUMENTS

How to use

- Orthodontic mirror handle with Bausch-Verbiest design
- For measuring the sagittal overjet and vertical overbite
- Millimeter scale, total length 25 mm





Ligature On-Off SL

- The explorer-like end (17CL) for both application and removal of ligatures. Ligatures can be lined up on the lower shank.
- The forked end (414) is particularly suitable for guiding a ligature ring over e.g. the fourth wing of a bracket. D

LMErgoSense® 414-17CLES 414-17CLEST 414-17CLXSI How to use



Archwire Tucker

- For bending the end of an arch wire
- The flattened ball-ends have 1 mm holes, where the wire can easily be placed and turned.
- Long blade fits well even in tight places.



414-150XSI

百四。


How to use


LMErgoMax™



Ligature Director


- For tucking ligatures and arch wires and for placement of arch wire
- The forked end is particularly suitable for guiding a ligature ring over e.g. the fourth wing of a bracket
- The forked end tip is rotated 90°





Ligature Tucker

- For tucking of ligatures and arch wires and for placement of arch wire
- The forked end is particularly suitable for guiding a ligature ring over e.g. the fourth wing of a bracket.





LMErgoSense® 416-417ES 416-417EST 自張 416-417XSI **LM**ErgoNorm™ 416-417SI How to use

Plastic Ligature Applicator











LM[™] REPROCESSING RECOMMENDATIONS

To take best care of your premium quality products

DENTAL HAND INSTRUMENT MAINTENANCE WITH CARE

By following LM[™] reprocessing recommendations, you can ensure your dental instruments to have both long life and high level performance. To take best care of your high-quality instruments pay attention to the recommendations and ensure that only validated procedures are used for cleaning and sterilization. For the hand instrument maintenance use LM-ServoMax[™] tray system and LM-Servo[™] cassettes in order to protect the instruments and avoid sharp injuries.

Always follow the regulations by local authorities.

LESS ADMINISTRATIVE CHORES AND MORE TIME FOR PATIENT CARE

LM Dental Tracking System[™] automates traceability, logistics, and aids dental proferssionals in infection control documentation, streamlining processes and eliminating the necessity for labor-intensive manual tasks.

Implementation of LM Dental Tracking System[™] enhances clinician and clinic



manager knowledge that the essential reprocessing of materials and instruments has been done correctly, contributing to the safety of both clinicians and patients.

Scan the QR to read and download LM[™] Reprocessing recommendations for hand instruments and accessories



LM Dental Tracking System[™] FOR ENHANCE EFFICIENCY, SAFETY AND SAVINGS

LM Dental Tracking System[™] (LM DTS[™]) is developed to address everyday clinic challenges associated with dental material handling and traceability, including controlling clinic processes, instrument rotation, reuse, as well as inventory materials and consumables handling.

The unique system is created by combining scanning readers, proprietary server software and dental instruments and materials with built-in or external tags. Assets such as instruments, hand pieces, filling materials, implants, and more from various manufacturers can be wirelessly read in just a few seconds.

LM DTS[™] automates traceability and dental asset handling processes, supports dental professionals in infection control documentation, and efficiently manages inventory materials and consumables handling. This streamlining of processes eliminates the need for labor-intensive manual tasks. The system allows you to turn vital information into action that makes a difference.



ENHANCED EFFICIENCY AND TIME SAVINGS

Automating instrument and material tracking, including documentation, significantly saves staff time previously spent on manual checks.

- Allocate additional time to patient care by minimizing administrative duties
- Assurance of instrument and material availability
- Paperless clinic

INFORMED DECISION-MAKING

Consistently improve practices by continually analyzing performance and monitoring real-time status.

- Ongoing performance improvement
- Instant dental inventory access
- Accessing cloud-based server from anywhere

ASSURED SAFETY CONFIDENCE

Enhances knowledge that the essential reprocessing of materials and instruments has been done correctly, contributing to the safety of both clinicians and patients.

- Automated checks and alerts
- Material traceability
- Maintenance and sterilization records
- Reprocessing procedure documentation



Πh

LM[™] INNOVATION

Scan the QR for more information at dentaltracking.com

C



Check In Items found

LM[™] INNOVATION

LM-SERVO[™] E INSTRUMENT CASSETTES



In LM-Servo[™] E cassettes the instrument handles are clearly visible providing RFID tag readability and identification of individual instruments, though the tips are securely covered with safety shields preventing sharp injuries and protecting the blades.

The LM-Servo[™] E cassette series is available with built-in RFID tagging. This option makes E cassettes excellent tool for improving traceability by enabling easy handling and tracking of instruments as sets. Below you find the product codes for RFID tagged cassettes marked with RFID symbol.

The cassettes can be coded with silicone code buttons (6000 - 6005) and attached to the LM-ServoMax™ with a special lock (6417).



LM-SERVOMAX[™] TRAY SYSTEM MD C€

LMServoMax[™]

Optimal work flow & rational maintenance.

LM-ServoMax[™] tray system organises and rationalises the handling of dental instruments and accessories during the procedures and maintenance. It facilitates good infection control and saves time by reducing the handling of individual items. It also prolongs the life span of instruments and protects the personnel. Its versatile modules keep all instruments and accessories organised in a single tray. The system is adaptable to treatment specific and individual needs.



LM[™] INNOVATION

Rational maintenance with minimal handling.





LM-ServoMax[™] tray set 6410

Includes: 1 set of universal trappers and 2 metal clips
Dimensions: 288 x 185 x 29 mm



LM-ServoMax[™] universal trapper, 2 pcs 6416



LM-ServoMax™ metal clips, 2 pcs 6415

> For locking LM-Servo[™] 5 or LM-Servo[™] 8 instrument cassette on the tray





LM-ServoMax™ standard case 6420

LM-ServoMax[™] restoration / endo case 6430

LM-ServoMax[™] foam, 20 pcs 6435

For cleaning the endo files



LM-ServoMax™ ultrasonic tip case 6460

• For six ultrasonic tips



LM-ServoMax[™] bur endofile case 6450

For eight burs and fourteen files
Includes adjustment and measuring scales for files



LM-ServoMax[™] syringe holder 6495


 A stand attachable to the LM-ServoMax[™] tray to place the anesthetic syringe safely in the needle guard ■ LM-ServoMax[™] tray system modules have a universal design that complies the standard for dental tray dimensions. They are made of exceptionally durable special plastic which tolerate all common cleaning and sterilisation methods and agents (max 134 °C / 273 °F). Modules are sold empty.



LM-ServoMax[™] waste cup holder 6490



LM-ServoMax[™] instrument rack



- Color-coded rails for attaching instruments to the LM-ServoMax[™] tray
- · Length adjustable according to the size of instruments
- Package 2 pcs / color

LM-SERVO[™] CASSETTES



In LM-Servo[™] cassettes hand instruments are locked securely but rotate freely for optimal cleaning and guaranteed infection control. The cassettes can be coded with silicone code buttons.

The cassettes can be attached to the LM-ServoMax[™] tray with metal clips (6415).







- Package 50 pcs / color

Regular maintenance of dental hand instruments is the foundation of safe and high quality treatments.

In addition to cleanliness, instrument condition has a significant impact on the end result of a treatment as well as your and your patient's safety. When discussing hand instruments, a critical factor is the instrument blade. Only working with sharp instruments will ensure an optimal treatment result.

LM-RondoPlus[™] is a simple and reliable sharpening machine, which is suitable for use with all hand instruments that can be resharpened. LM-RondoPlus[™] sharpens all hand instruments easily, quickly and precisely.

Regular sharpening allows you to work with a sharp instrument, which reduces the amount of strain on your hand and enhances safety from one treatment to the next. The service life of a regularly sharpened instrument is also longer than one that is not maintained well.



for videos and more

LM[™] INNOVATION

LMRondoPlus[™] sharpening machine

Foot pedal connection

Use of the foot pedal is optional. When the foot pedal is connected, the sharpening stone will only rotate when you press down on the pedal. The rotational direction is still selected with the rocker switch.

360° rotating casing

Sharpening stone

LM-RondoPlus[™] comes equipped with a ceramic 400 grit sharpening stone. A finer (600 grit) and a coarser (320 grit) stone are available as spare parts. The stone rotates in two directions. When the stone rotates away from the instrument, the sharpening effect is more delicate. For more sharpening power use a coarser stone that rotates toward the instrument. The direction of rotation is chosen from the rocker switch.

Instrument rest

The instrument rest has two positions. The lower position is for periodontal instruments and the upper position is for preparation instruments. The position is changed by lifting the rest slightly away from the sharpening stone and then up or down. The instrument rest must be as close as possible to the sharpening stone without actually touching it. Screw the control to adjust the distance between the rest and the stone.

Testing sharpness

LMErgoSense

LM-RondoPlus[™] is equipped with LM-Fingo[™] sharpness test sticks, which can be mounted on either side of the machine or worn on the finger. Sharpness is easy to test by drawing the instrument lightly in its working position along LM-Fingo[™]. Sharp instrument will bite into the stick.

Rocker switch (direction control)

EASY SHARPENING

LM-RondoPlus[™] is suitable for use with all hand instruments that can be resharpened. Thanks to its simple operation method, learning how to use the machine takes only a few moments.

The ceramic sharpening stone is mounted in a casing, which can rotate 360°. The instrument being sharpened is placed on the instrument rest next to the sharpening stone. The lower rest position is for periodontal instruments while the upper position is for preparation instruments. The hand holding the instrument remains still - the instrument is sharpened by rotating the casing.

With LM-RondoPlus[™] the same basic technique is used, whether the instruments to be resharpened are periodontal or preparation instruments, or have convex or straight cutting edges.

LM-RondoPlus[™] 8600

Package includes:

- Sharpening machine
- Foot pedal
- 400 grit sharpening stone
- 2 LM-Fingos™
- 5 emery tapes

Spare Parts

Grinding stone

- 8660 600 grit (white)
- 8640 400 grit, coarser (grey) 8632 320 grit, coarsest (black)

8630 Foot pedal

8550 Emery tapes, 5 pcs 8602 LM-Fingo™, 2 pcs

8606 LM-Fingo™, 6 pcs



On either side of the



Easy to use

- Simple method the blade is held in the correct sharpening position and the grinding stone rotates.
- Sharpening one instrument only takes a few seconds.

Versatile

- For both periodontal and preparation instruments.
- For both right or left handed.
- The direction of rotation can be selected.

Accurate and safe

- A dual-position instrument rest: The upper position is for preparation instruments and the lower for periodontal instruments.
- The original blade form is preserved.
- Low rotational speed: the blade will not heat up nor will its temper be affected.





GROWING HAPPY SMILES

LM-Activator[™] - Early orthodontic treatment

LM-Activator[™] is a prefabricated appliance for supporting healthy growth and development of the face and jaw. The ideal time for treatment with LM-Activator[™] is in early mixed dentition when the first teeth are changing. By intervening early, the need for further treatment can be significantly reduced and even eliminated. Research indicates that malocclusions in deciduous dentition persist and tend to become more severe as the dentition develops. LM-Activator[™] provides soft guidance to teeth and jaws when needed.

How does LM-Activator[™] work?

■ LM-Activator[™] acts as a guide towards the correct position and place. Teeth and jaws are guided into correct positions and relation while teeth are changing in early mixed dentition.

■ The forces of erupting teeth and the growth are utilized. The light and interceptive treatment supports the natural growth and development of teeth and jaws, and malocclusions are corrected.

■ LM-Activator[™] can be used at different ages. When the first milk tooth falls out, the opportunities for guiding both the teeth and jaws are wide.

■ LM-Activator[™] corrects and aligns sagittal and vertical relationships simultaneously - no separate phases are needed. The occlusion can be controlled in a 3-dimensional way.

Scan the QR and watch the video: How does LM-Activator[™] work





Gently guiding the growth of erupting teeth and growing jaws can be compared to trimming and supporting a young plant. Guiding to a healthy growth path early and along the growth is more gentle and the outcome will be more natural.





"The appliance has many advantages. Most importantly, early treatment with LM-Activator™ will stop the development of the malocclusions, thereby preventing the malocclusion to become more severe. For children, LM-Activator™ is easy to use. The treatment is easy and straightforward, and the treatment outcome more natural."

Professor Emeritus Juha Varrela, DDS, PhD, Specialist in Orthodontics, Institute of Dentistry, University of Turku, Finland

Benefits for A DENTIST

Corrects malocclusions effectively

Corrects typical malocclusions like excess Overjet, excess Overbite, Deep bite, Open bite, Class II and dental anterior Crossbite. Sagittal and vertical relationships can be corrected simultaneously.

 \checkmark Preventive. Prevents the malocclusion from developing further.

 $\sqrt{\text{Reduced need for treatment. Can significantly reduce}}$ the need for further treatment.

√ Clinically and scientifically proven. LM-Activator™ has been on the market since 2004 and the method is supported by evidence from cohort controlled and RCT research results.

Benefits for A YOUNG PATIENT

Comfortable to use

✓ Made of medical-grade silicone. Flexible by nature and comfortable for the patient.

Hygienic. Daily rinse with water is enough.Can be immersed in boiling water.

✓ Removable and used while sleeping. Patient can eat any food normally, exercise and do any sport. No metal wire adjustments or emergency visits are needed due to broken metal parts.

✓ Feels comfortable. Anatomically designed and rounded slots.

 $\sqrt{}$ Gentle on teeth. Soft silicone is gentle on teeth and comfortable for the patient.

✓ Simple and easy treatment. No separate treatment phases but simultaneous alignment, leveling and anteroposterior correction.

Cost-effective treatment method

Reduced treatment complexity enabling increased savings and time saved for treating more patients.

✓ Diverse. Convenient assortment of models.

 $\sqrt{\text{Cost-effective.}}$ Appliance is affordable.

 $\sqrt{\text{Prompt.}}$ Treatment can be started immediately.

 \checkmark Efficient. Light on chair-times as check-ups are short and not that frequent.

√ Collaborative. The clinical work does not require full involvement by orthodontists.

Safe for young patients

✓ No additives. No coloring agents, phtalates, softeners, latex, bisphenol-A or fragrance agents.

✓ Fully biocompatible. The use is safe for the patient. The silicone material is tested in accordance with ISO 10993 requirement of 30 days permanent contact with mucous membranes.

 $\sqrt{}$ No need for emergency visits because of the soft silicone material.

 $\sqrt{}$ Evidence based treatment method. The treatment method is proven by research results, and the appliance has been used by a million of patients around the world.





INDICATIONS - when to use LM-Activator[™]?

LM-Activator¹¹ has proven to be effective in treatment of different malocclusions at different dental stages. Evaluating the dentoalveolar, skeletal and functional characteristics is an essential part of selecting patients for LM-Activator" treatment. A thorough case-by-case analysis of the patient's malocclusion and its severity as well as of the patients motivation is needed.

The ideal time for treatment with LM-ActivatorTM is in early mixed dentition when the first teeth are changing. Use of LM-ActivatorTM is recommended to align teeth, activate mandibular growth and expand the arch perimeter. The chart below provides a demonstrative guideline for case selection.

		Deciduous dentition	Early mixed dentition 5–8 years old	Late mixed dentition 9–13 years old	Early permanent dentition 13– years old
Excess overjet, excess overbite, deep bite	Severe				
	Moderate				
	Mild				
Anterior crowding (incisors and canines)	Severe				
	Moderate				
	Mild				
Dentoalveolar anterior crossbite of 1-2 teeth	Severe				
	Moderate				
	Mild				
Rotated anterior teeth	Severe				
	Moderate				
	Mild				
Class II	Severe				
	Moderate				
	Mild				
Scissorsbite / Complete mandibular posterior lingual	Severe				
crossbite (i.e. mandibular posterior teeth completely	Moderate				
on the lingual side of the maxillary posterior teeth)	Mild				
Gummy Smile (Treatment start before the eruption	Severe				
of permanent maxillary central incisors)	Moderate				
	Mild				
Open bite	Severe				
	Moderate				
treating doctor is solely responsible and liable for dia	Mild				

Fortschritte der Kieferorthopädie 2006:67(6):414-423. https://doi.org/10.1007/s00056-006-

appliance effects in the treatment of Class II, Division 1 malocclusions. AM J of Orthodontics and Dentofacial Orthopedics 2000:117(2), 119-129. https://doi.org/10.1016/s0889-5406(00)70222-8

¹⁹ Janson G. R., da Silva C. C., Bergersen E. O., Henriques J. F., Pinzan A. Eruption guidance

0615-8

The treating doctor is solely responsible and liable for diagnosis, treatment, and evaluating whether treatment with LM-ActivatorTM, LM-TrainerTM or any other LM-DentalTM's product is appropriate for a specific patient, and for the outcome of any treatment with LM-ActivatorTM, LM-TrainerTM or any other LM-DentalTM's product. Product used, and use of products shall be determined solely by doctor and evaluated for use with each individual patient where appropriate. Please refer to manufacturer's instructions for use.

000



"Our results showed distinct improvements in overjet, overbite, sagittal molar relationship, and crowding in the treated subjects."

Myrlund R., et al. One year treatment effects of the eruption guidance appliance in 7- to 8-year -old children: a randomized clinical intal. European Journal of Orthodontics, 2015;37(2):128-134. https://doi.org/10.1038/ejo/qu014



"An advantage of the eruption guidance appliance is that it not only guides the eruption of the teeth but also simultaneously acts on the transversal, sagittal, and vertical relationships of both dental arches."

Keski-Nisula, K., et al. J. Orthodontic intervention in the early mixed dentition: A prospective, controlled study on the effects of the eruption guidance appliance. AM J of Orthopadics, 2006;13(2), 254-260. https://oi.org/10.1016/j.ajodo.2006.05.039



"As a result of the EGA treatment, the sagittal relationship was corrected from Class II to Class I in 86% of the cases during the active treatment, and it showed further improvement posttreatment. At the age of 16.7 years, 98% of the treatment children, who all had a Class II relationship at the onset of the early mixed dentition, had a Class I relationship."

Keski-Nisula K., et al. Class II treatment in early mixed dentition with the eruption guidance appliance: effects and long-term stability. European Journal of Orthodontics, 2020;42(2):151-156. https://doi.org/10.1033/ejo/cjz092

TYPICAL MALOCCLUSIONS treated with LM-Activator™

Overjet 1)



Before



After 1 year

Deep bite with palatal impingement 1)



Before



After 1 year

Single tooth anterior crossbite 2)



Before



After 15 days

Crowding 3)



Before



After 1 year


Clinical pictures courtesy of 1) and 9 Dr. Rita Myrlund and Dr. Mari Dubland, University of Tromsø, Norway. 9 Dr. Gioacchino Pellegrino, Management of eruption problems with preformed silicone orthodontic devices, Poster presented at 21. Jahrestagung der Deutsche Gesellschaft für Kinderzahnheilkunde 25.09 - 27.09 2014; Freiburg, Germany

DRTHODONTIC APPLIANCES

I M-Activator[™] MODEL ASSORTMENT features

With LM-Activator[™] alignment, leveling and anteroposterior correction can be done at the same time without separate phases. A large assortment of models makes it possible to select the appropriate appliance for the patient. Treatment complexity for both the clinician and the patient can be reduced.

The two basic LM-Activator[™] model features are: LOW and HIGH. These are available with shorter or longer molar sections: SHORT and LONG. The appliances are combinations of these features. LM-Activator[™] 2 models available also for two arch widths: NARROW or WIDE. REINFORCED model with hard insert in the incisal area is available. We recommend it for patients over 8 years of age only. The choice of model should always be based on an examination and diagnosis done by or under supervision of a specialist in orthodontic treatment.





18

REINFORCED

LM-Activator[™] 2 models are available with incisal reinforcement. This model has a rigid reinforcement of harder material in the incisal area and is designed especially for skeletal deep bite cases. The model is also suitable for other patients who benefit from a firm surface and improved durability. Reinforced model is recommended for patients over 8 years old.

Selecting THE SIZE with LM-OrthoSizer[™] MD C€

LM-OrthoSizer[™] is a tool for aiding the selection of the appropriate LM-Activator[™] size. The size is indicative and LM-Activator[™] should always be fitted to ensure the correct size. There are two models: one for LM-Activator[™] (9400) and another for LM-Activator[™] 2 (9402). Both are compatible with LM[™] mirror handles (25, 28).







LM-Activator[™] 2 OrthoSizer[™] (9402) is used with LM-Activator[™] 2 models. Separate measures for mandible and maxilla improve the accuracy.

LM-OrthoSizer[™] (9400) is used with LM-Activator[™] models.

LM-Activator[™] 2 OrthoSizer[™] measures the distance across the incisors from the distal surface of the left lateral incisor to the right lateral incisor.

Place the elevated marker between the left maxillary lateral incisor and canine. Ensure that the text *Maxilla* is at the upper jaw and the text *Mandibula* at the lower jaw.

Read the scale between the right maxillary lateral incisor and canine (i.e. at the mesial surface of the canine). Sizes 10, 20, 30... are indicated with larger markers with a dot whereas sizes 15, 25, 35... are indicated with smaller markers. (In the right side photo the size indication is 55.) If you wish to get an indication of the size separately for the mandible, use the LM-Activator[™] 2 OrthoSizer[™] in the same way in the mandible.

In case of crowding, consider a larger appliance and in case of diastemas, consider a smaller appliance. Fit LM-Activator™ on the patient and double check that the teeth sit properly in the slots both in the maxilla and in the mandible.



Fitting

Fitting the appliance to the patient is the most important step of size selection.



1. No crowding and no risk of crowding

Choose the size that matches the dentition. The canine rests at the bottom of the slot and no distalizing force is placed on the canine. If there is no crowding or risk of crowding, the size in the photo is correct. If there is crowding or crowding is expected, consider a larger size to enable expansion of the arch perimeter. In case of diastema consider choosing a smaller size.

2. Crowding or risk of crowding

This size is larger than in Figure 1.

The canine is guided by LM-Activator[™] towards the bottom of its' slot and applies a force that pushes the canine distally. This size is appropriate if crowding is present or expected and arch perimeter expansion is needed.

3. The size is too large

The appliance is too large. The canine is guided against a ridge between two slots and the appliance does not guide teeth properly. Choose a smaller size.

At follow-up check-ups with the patient, ensure that the size is still correct.

Re-evaluate the size of the appliance when the permanent maxillary and mandibular lateral incisors begin to erupt. It may be necessary to switch to a larger appliance.










Scan the QR and watch the video: Selecting the size and fit of LM-Activator[™]


General steps on HOW TO CHOOSE the LM-Activator[™] MODEL





STFP 2

Scan the QR and watch video: Guidelines on how to choose the LM-Activator[™] model



The treating doctor is solely responsible and liable for diagnosis, treatment, and evaluating whether treatment with LM-Activator[™], LM-Trainer[™] or any other LM-Dental"'s product is appropriate for a specific patient, and for the outcome of any treatment with LM-Activator", LM-Trainer" or any other LM-Dental" product. Product used, and use of products shall be determined solely by doctor and evaluated for use with each individual patient where appropriate. Please refer to manufacturer's instructions for use

Yes

Dr. Gioacchino Pellegrino, DDS, Specialist in Orthodontics, Italy

Wide

The LM-Activator[™] model features are: LOW and HIGH. These are available with shorter or longer molar sections: SHORT and LONG. The appliances are combinations of these features. The LM-Activator[™] 2 models are available with incisal reinforcement for increased durability, REINFORCED. We recommend it for patients over 8 years of age only.

LM-Activator[™] 2 models have two alternative arch widths. The most commonly used arch width is NARROW with standard or regular arch. The WIDE model has a wider and shorter arch, and is especially designed for Asian markets. It is suitable also for some Latin American markets. The choice of model should always be based on an examination and diagnosis done by or under supervision of a specialist in orthodontic treatment.

LM-Activator[™] 2 product range MD C€

LM-Activator[™] 2 Low Short

LM-Activator[™] 2 Low Long

Model with a shorter molar section when the second molars have not yet erupted. Delivered in a yellow box.

		PRODUC	T CODES	
SIZE	NARROW	REINFORCED	WIDE	REINFORCED
35	94235LSN	94235LSNR	94235LSW	94235LSWR
40	94240LSN	94240LSNR	94240LSW	94240LSWR
45	94245LSN	94245LSNR	94245LSW	94245LSWR
50	94250LSN	94250LSNR	94250LSW	94250LSWR
55	94255LSN	94255LSNR	94255LSW	94255LSWR
60	94260LSN	94260LSNR	94260LSW	94260LSWR
65	94265LSN	94265LSNR	94265LSW	94265LSWR
70	94270LSN	94270LSNR	94270LSW	94270LSWR

LM-Activator[™] product range MD CE

LM-Activator™ Low Short

Model with a shorter molar section when the molars have not yet erupted. Delivered in a yellow box.

SIZE	NARROW
10	94010LS
15	94015LS
20	94020LS
25	94025LS
30	94030LS
35	94035LS
40	94040LS
45	94045LS
50	94050LS
55	94055LS
60	94060LS
65	94065LS
70	94070LS

SIZE NARROW REINFORCED WIDE 35 94235LLN 94235LLNR 94235LLW

LM-Activator[™] Low Long

have erupted. Delivered in a blue box.

94040L

94045L

94055L

94060L

94065L

94070L

40

45

50 55

60

65

70

55	94230LLIN	94230LLINH	94233LLVV	94233LLWH
10	94240LLN	94240LLNR	94240LLW	94240LLWR
15	94245LLN	94245LLNR	94245LLW	94245LLWR
50	94250LLN	94250LLNR	94250LLW	94250LLWR
55	94255LLN	94255LLNR	94255LLW	94255LLWR
60	94260LLN	94260LLNR	94260LLW	94260LLWR
65	94265LLN	94265LLNR	94265LLW	94265LLWR
70	94270LLN	94270LLNR	94270LLW	94270LLWR

Model with a longer molar section when the second molars

PRODUCT CODES

Model with a longer molar section when the second molars have erupted. Delivered in a blue box.

LM-Activator™ 2 High Short

Model with a shorter molar section. The High model is thicker in the region of second premolars and molars. It is designed for treating skeletal and dentoalveolar Open bite cases. Delivered in an orange box.

PRODUCT CODES		
SIZE	NARROW	WIDE
35	94235HSN	94235HSW
40	94240HSN	94240HSW
45	94245HSN	94245HSW
50	94250HSN	94250HSW
55	94255HSN	94255HSW
60	94260HSN	94260HSW
65	94265HSN	94265HSW
70	94270HSN	94270HSW

LM-Activator™ 2 High Long

Model with a longer molar section. The High model is thicker in the region of second premolars and molars. It is designed for treating skeletal and dentoalveolar Open bite cases. Delivered in a green box.

	PRODUCT CODES		
SIZE	NARROW	WIDE	
35	94235HLN	94235HLW	
40	94240HLN	94240HLW	
45	94245HLN	94245HLW	
50	94250HLN	94250HLW	
55	94255HLN	94255HLW	
60	94260HLN	94260HLW	
65	94265HLN	94265HLW	
70	94270HLN	94270HLW	

LM-Activator™ High Short

Model with a shorter molar section. The High model is thicker in the region of second premolars and molars. It is designed for treating skeletal and dentoalveolar Open bite cases. Delivered in an orange box.

LM-Activator™ High Long

Model with a longer molar section. The High model is thicker in the region of second premolars and molars. It is designed for treating skeletal and dentoalveolar Open bite cases. Delivered in a green box.

SIZE	NARROW
45	94045H
50	94050H
55	94055H
60	94060H
65	94065H
70	94070H

LM-Trainer[™] products MD (€

LM-Trainer[™] can be used in deciduous dentition, e.g. before LM-Activator[™] treatment. It can also be used in functional education and for habit correction, e.g. reverse swallowing and mouth breathing, when harmful oral habits risk causing malocclusions.



I M-Trainer[™] Small 94100S

- Slots for incisors, lip bumper - Smaller and softer than LM-Trainer[™] Medium

LM-Trainer[™] 2 Medium 94100T2

- Bigger than LM-Trainer[™] Medium
- High gloss surface
- Slots for incisors and cuspids
- High labial shields and shaped lingual flances
- Enhanced lip bumber



I M-Trainer[™] Medium 94100T

- Slots for incisors and cuspids - Lip bumber



LM-Trainer[™] Braces 94100TB

- Used in conjunction with brackets and wires
- Brings the mandible forward for Class II correction
- Prevents irritation and wounding of soft tissue - Lip bumper

LM-Activator[™] patient motivation path

- The language-independent motivation path is used to

motivate the daily use of the LM-Activator[™] appliance.

A young patient is supposed to place a sticker on the

calendar path every time she/he wears the appliance

with stickers M1063A

(day or night).

How to use LM-Activator™ Patient Guidance brochure M1062EN

- Cartoon styled guidance for parents and patients on how to use LM-Activator™.
- Includes also a calendar for tracking daytime and night-time use. English.



Patient compliance is essential for successful treatment. The first month is crucial in adopting

the habit to use the appliance, because creating a habit in general requires 3-4 weeks of

I M-Activator[™] motivational materials



LM-Activator[™] Clinic brochure "Growing happy smiles" 1061EN

- Take-away brochure for clinics to introduce and promote LM-Activator™ treatment for parents. English.



LM-Activator™ Clinic poster M1059EN

- For promotion Early orthodontic treatment with LM-Activator™ in a waiting room at a dental clinic. English.

orthodontics and LM-Activator"



Making dental care safe, efficient and pleasant.

LMDental[™]

LM-Instruments Oy Norrbyn rantatie 8 | FI-21600 Parainen | Finland Tel. +358 2 4546 400 info@lm-dental.com | www.lm-dental.com

Making dental care safe, efficient and pleasant.